



TOWN OF RICHMOND
RICHMOND TOWN CENTER
203 Bridge Street, P.O. Box 285
Richmond, Vermont 05477



Town of Richmond – Request for Proposals
Town Center Roof Replacement

The Town of Richmond is seeking interested contractors for the replacement and repairs to the Town Center building shingled roof.

Please submit the following information to Geoffrey Urbanik, Richmond Town Manager no later than Friday, September 30, 2016. The below information and any supporting documentation may be submitted by mail, **P.O. Box 285, Richmond, VT 05477** or fax (**434-3139**). Email also acceptable if quote is .pdf on letterhead to townmgr@gmavt.net. In-person delivery is 203 Bridge Street, Richmond, Vermont – Attn: Town Manager.

OBJECTIVE AND SCOPE OF WORK

The shingled part of the roof of the Town Center building at 203 Bridge Street in Richmond must be replaced. The project includes all pitched and flat parts of the building excepting the Post Office roof areas and the Portico Roof and bell tower. Shingle selection will be made by the Agency in regards to color and style.

1. Remove and Replace shingled roof per normal installation practices
2. 6' of ice and water protection at all eaves
3. 3' of ice and water protection in all valleys
4. Swift starter shingles at all eaves and rakes
5. Ice and water protection at all side wall and end walls of bell tower
6. Snow bars over portico to be removed and re-installed (bedded in butyl tape)
7. Sheathing - price per square foot to remove, dispose of and install new
8. CertainTeed Landmark or equivalent shingle, specify your product & warranty
9. Flat roof over Post Office must be protected from damage
10. One year minimum workmanship warranty from contracted installer
11. Sketches attached to this RFP are estimates only, contractor is responsible for bid on replacement of roof in all indicated areas.



TOWN OF RICHMOND
RICHMOND TOWN CENTER
203 Bridge Street, P.O. Box 285
Richmond, Vermont 05477



Period of Performance

The period of performance of any contract resulting from this RFP is tentatively scheduled to begin on or about October 21, 2016 and to end prior to December 1, 2016. Amendments extending the period of performance, if any, shall be at the sole discretion of the AGENCY.

RFP COORDINATOR

The RFP Coordinator is the sole point of contact in the AGENCY for this procurement. All communication between the Contractor and the AGENCY upon release of this RFP shall be with the RFP Coordinator, as follows:

Name	Geoffrey Urbanik, Town Manager
E-Mail Address	townmgr@gmavt.net
Mailing Address	Town of Richmond P.O. Box 285 Richmond, VT 05477
Physical Address for Delivery	203 Bridge St. Richmond, VT
Phone Number	802-434-5170
Fax Number	802-329-2011

PROPOSALS

Proposals should include lump sum pricing for roofing scope, unit pricing for sheathing repair; and 3 job references of similar size and complexity. Proposals will be opened at 3:30 PM in the Town Center meeting room.

HARD COPY PROPOSALS:

Contractors are required to submit two copies of their proposal. *Both* copies must have signatures. The proposal, whether mailed or hand delivered, must arrive at the AGENCY no later than 3:30 PM on Friday, September 30, 2016. Street address: 203 Bridge Street, Richmond, Vermont – Town Manager’s office.

The proposal is to be sent to the RFP Coordinator at the address noted above. The envelope should be clearly marked to the attention of the RFP Coordinator.

Contractors mailing proposals should allow normal mail delivery time to ensure timely receipt of their proposals by the RFP Coordinator. Contractors assume the risk for the



TOWN OF RICHMOND
RICHMOND TOWN CENTER
203 Bridge Street, P.O. Box 285
Richmond, Vermont 05477



method of delivery chosen. The AGENCY assumes no responsibility for delays caused by any delivery service. Proposals may be transmitted using facsimile transmission.

Late proposals will not be accepted and will be automatically disqualified from further consideration. All proposals and any accompanying documentation become the property of the AGENCY and will not be returned.

ELECTRONIC PROPOSALS:

The proposal must be received by the RFP Coordinator no later than **3:00 PM**, on *September 30, 2016*.

Proposals must be submitted electronically as an attachment to an e-mail to townmgr@gmavt.net

the RFP Coordinator, at the e-mail address listed. Attachments to e-mail shall be in Microsoft Word format or PDF. Zipped files cannot be received by the AGENCY and cannot be used for submission of proposals. The cover submittal letter and the Certifications and Assurances form must have a scanned signature of the individual within the organization authorized to bind the Contractor to the offer. The AGENCY does not assume responsibility for problems with Contractor's e-mail. If the AGENCY'S email is not working, appropriate allowances will be made.

Proposals may be transmitted using facsimile transmission.

Contractors should allow sufficient time to ensure timely receipt of the proposal by the RFP Coordinator. Late proposals will not be accepted and will be automatically disqualified from further consideration, unless the AGENCY'S e-mail is found to be at fault. All proposals and any accompanying documentation become the property of the AGENCY and will not be returned.

ESTIMATED SCHEDULE OF PROCUREMENT ACTIVITIES

Issue Request for Proposals	September 12, 2016
Question & answer period	September 12-26, 2016
Issue last addendum to RFP	September 27, 2016
Proposals due	September 30, 2016
Evaluate proposals	October 1-6, 2016
Announce "Apparent Successful Contractor" and send notification via fax or e-mail to unsuccessful proposers	October 7, 2016
Award of Contract by Richmond Selectboard	October 17, 2016
Begin contract work	October 21, 2016
Installation completed prior to	December 1, 2016



TOWN OF RICHMOND
RICHMOND TOWN CENTER
203 Bridge Street, P.O. Box 285
Richmond, Vermont 05477



**Timeline for roof work to be negotiated with the Agency. The Agency reserves the right to select certain days and hours for work on the project. The AGENCY reserves the right to revise the above schedule.

Workers' Compensation Coverage

The Contractor will at all times comply with all applicable workers' compensation, occupational disease, and occupational health and safety laws, statutes, and regulations to the full extent applicable. The Agency will not be held responsible in any way for claims filed by the Contractor or their employees for services performed under the terms of this contract.

Award of Contract

The Richmond Selectboard will award the contract to the lowest responsive, responsible bidder subject to successful reference check by town staff. The bid will be awarded subject to availability of funds and the Richmond Selectboard reserves the right to reject any and all bids based on financial constraint or other factors that negatively impact the successful completion of the project.

Site visits can be arranged by calling the Town Manager, Geoffrey Urbanik, at 434-5170. Building walk-arounds do not need an appointment – you can view the exterior building on your own at any time.


Please respond by Friday, September 30, 2016.

Any questions may be directed to Geoffrey Urbanik at 434-5170.

Area Diagram

Total Area = 15,102 sq ft, with 32 facets.

Note: This diagram shows the square feet of each roof facet (rounded to the nearest foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square feet after being totaled).



© 2016 EagleView Technologies, Inc.

EXTENDED COVERAGE 2D

Disclaimer: This report was produced using EagleView Extended Coverage Technology. Due to a variety of reasons including, but not limited to: tree coverage, poor images, low photo resolution or other blockages, this report DOES NOT offer an accuracy guarantee. EagleView recommends that anyone using this report field verify the measurements.




Report: 15696990

This document is provided under license by EagleView Technologies to the requester for their internal use only. Subject to the terms and conditions previously agreed to by the requester when they registered for use of EagleView Technologies services, all requests for property of EagleView Technologies and may be reproduced and distributed only within the requester's company, any reproduction or distribution to anyone outside of the requester's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the terms and conditions previously agreed to by the requester.

Notes Diagram

Roof facets are labeled from smallest to largest (A to Z) for easy reference.



© 2016 EagleView Technologies, Inc.

EXTENDED COVERAGE 2D

Disclaimer: This report was produced using EagleView Extended Coverage Technology. Due to a variety of reasons including, but not limited to: tree coverage, poor images, low photo resolution or other blockages, this report DOES NOT offer an accuracy guarantee. EagleView recommends that anyone using this report field verify the measurements.



EAGLEVIEW
TECHNOLOGIES

Report: 15696990

This document is provided under license by EagleView Technologies to this customer for their Internal Use Only subject to the terms and conditions previously agreed to by the customer upon their registration for use of EagleView Technologies services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the customer's company and reproduction or distribution to anyone outside of the customer's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the terms and conditions previously agreed to by the customer.

Facet Area (sq ft) Based Upon Pitch

The area for each facet appears in the column under the appropriate pitch.

Facet	Pitch (inches per foot)										
	0	2	4	6	8	10	12	14	16	18	20
A	18.3	18.6	19.3	20.5	22	23.8	25.9	28.1	30.5	33	35.6
B	18.9	19.2	19.9	21.1	22.7	24.6	26.7	29	31.5	34.1	36.7
C	19.5	19.8	20.6	21.8	23.4	25.4	27.6	30	32.5	35.2	37.9
D	19.6	19.9	20.7	21.9	23.6	25.5	27.7	30.1	32.7	35.3	38.1
E	19.6	19.9	20.7	21.9	23.6	25.5	27.7	30.1	32.7	35.3	38.1
F	20.6	20.9	21.7	23	24.8	26.8	29.1	31.7	34.3	37.1	40
G	20.9	21.2	22	23.4	25.1	27.2	29.6	32.1	34.8	37.7	40.6
H	21.4	21.7	22.6	23.9	25.7	27.9	30.3	32.9	35.7	38.6	41.6
I	24.1	24.4	25.4	26.9	29	31.4	34.1	37	40.2	43.4	46.8
J	49	49.7	51.7	54.8	58.9	63.8	69.3	75.3	81.7	88.3	95.2
K	61	61.8	64.3	68.2	73.3	79.4	86.3	93.7	101.7	110	118.6
L	90.6	91.8	95.5	101.3	108.9	117.9	128.1	139.2	151	163.3	176.1
M	92.2	93.5	97.2	103.1	110.8	120	130.4	141.7	153.7	166.2	179.2
N	113.7	115.3	119.9	127.1	136.7	148	160.8	174.7	189.5	205	221
O	124.7	126.4	131.4	139.4	149.9	162.3	176.4	191.6	207.8	224.8	242.4
P	136.5	138.4	143.9	152.6	164.1	177.7	193	209.7	227.5	246.1	265.3
Q	224.7	227.8	236.9	251.2	270.1	292.5	317.8	345.3	374.5	405.1	436.7
R	227.6	230.7	239.9	254.5	273.5	296.3	321.9	349.7	379.3	410.3	442.4
S	236.6	239.9	249.4	264.5	284.4	308	334.6	363.6	394.3	426.5	459.9
T	351.1	355.9	370.1	392.5	422	457	496.5	539.5	585.2	633	682.4
U	351.7	356.6	370.7	393.2	422.7	457.8	497.4	540.4	586.2	634	683.6
V	351.9	356.8	370.9	393.4	422.9	458.1	497.7	540.7	586.5	634.4	684
W	375	380.2	395.3	419.3	450.7	488.1	530.3	576.2	625	676	728.9
X	401.8	407.3	423.5	449.2	482.9	523	568.2	617.4	669.7	724.4	781
Y	452	458.2	476.4	505.4	543.2	588.4	639.2	694.5	753.3	814.9	878.5
Z	467.8	474.3	493.1	523	562.2	608.9	661.6	718.8	779.7	843.3	909.2

Each value is rounded to the nearest square foot. The totals are based on the unrounded values.

Pitch Table

Areas per Pitch		
Roof Pitches	Area (sq ft)	% of Roof
0/12	6788.8	45%
6/12	1172.6	7.8%
10/12	7140.4	47.3%

Pitch Table Disclaimer: The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch. With Extended Coverage, EagleView recommends field verifying measurements and pitch utilizing the table above.

EXTENDED COVERAGE 2D

Disclaimer: This report was produced using EagleView Extended Coverage Technology. Due to a variety of reasons including, but not limited to: tree coverage, poor images, low photo resolution or other blockages, this report DOES NOT offer an accuracy guarantee. EagleView recommends that anyone using this report field verify the measurements.

█ not in scope
█ 6 1172.6
█ 10 7082.6



Report: 15696990

This document is unclassified under 1. Except for EagleView Technology's use, this document is the property of EagleView Technology, Inc. All rights reserved. EagleView Technology, Inc. is not responsible for any errors or omissions in this document. EagleView Technology, Inc. is not responsible for any damage or loss of data or information resulting from the use of this document. EagleView Technology, Inc. is not responsible for any damage or loss of data or information resulting from the use of this document. EagleView Technology, Inc. is not responsible for any damage or loss of data or information resulting from the use of this document.

Facet Area (sq ft) Based Upon Pitch

The area for each facet appears in the column under the appropriate pitch.

Facet	Pitch(inches per foot)										
	0	2	4	6	8	10	12	14	16	18	20
	554.5	562.1	584.5	619.9	666.4	721.8	784.2	852	924.2	999.6	1077.8
	787.8	798.7	830.4	880.8	946.8	1025.5	1114.1	1210.5	1313	1420.2	1531.2
AC	856.6	868.4	902.9	957.7	1029.5	1115	1211.4	1316.2	1427.7	1544.3	1664.9
	1030.6	1044.8	1086.3	1152.2	1238.6	1344.5	1457.5	1583.6	1717.7	1857.9	2003.1
AE	1550.7	1572.1	1634.6	1733.7	1863.7	2018.6	2193	2382.8	2584.5	2795.6	3014
	4252	4310.7	4482	4753.9	5110.3	5534.9	6013.2	6533.6	7086.7	7665.4	8264.4
Total	13323	13507	14044	14895	16012	17343	18842	20472	22205	24018	25895

Pitch Table

Areas per Pitch		
Roof Pitches	Area (sq ft)	% of Roof
0/12	6788.8	45%
6/12	1172.6	7.8%
10/12	7140.4	47.3%

Pitch Table Disclaimer: The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch. With Extended Coverage, EagleView recommends field verifying measurements and pitch utilizing the table above.

EXTENDED COVERAGE 2D

Disclaimer: This report was produced using EagleView Extended Coverage Technology. Due to a variety of reasons including, but not limited to: tree coverage, poor images, low photo resolution or other blockages, this report DOES NOT offer an accuracy guarantee. EagleView recommends that anyone using this report field verify the measurements.

Each value is rounded to the nearest square foot. The totals are based on the unrounded values.



Report: 15696990

This document is a confidential under license by EagleView Technologies to the requestor for their internal use only, subject to the terms and conditions previously agreed to by the requestor when they registered for use of EagleView Technologies services. It remains the property of EagleView Technologies and may be reproduced and distributed only within the requestor's company. Any reproduction or distribution to anyone outside of the requestor's company without EagleView's prior written permission is strictly prohibited. All aspects and handling of this report are subject to the Terms and Conditions previously agreed to by the requestor.