

LF = EXISTING ROW LIGHT FIXTURE

NOTE:
SEE ARCHITECTURAL PLAN A151 FOR EXTERIOR LIGHTING BUILDING PLAN AND EXTERIOR LIGHTING LEGEND

N/W ZACHARY TRUST
45 BRIDGE ST

3 DRIVE-THRU LIGHTS REPLACED AND RELOCATED WITH RECESSED FIXTURES
TYPE PR(SL), SERIES: LRT8

EXTERIOR LIGHTING LEGEND

- TYPE: PR(SL), SERIES: LRT8, RECESSED SECURITY LIGHT, SEE SPECIFICATIONS.
- ⊞ TYPE: KS, SERIES: SLIM12Y, SCONCE, SEE SPECIFICATIONS.
- ⊞ TYPE: EM-RH, SERIES: ELMRW (EXTERIOR) EMERGENCY LIGHT, SEE SPECIFICATIONS.

Symbol	Label	QTY	Manufacturer	Catalog Number	Description	Lamp	Filename	Lenses per Lamp	LLF	Wattage	Distrib	Polar Plot
⊞	KS	1	ILP	SWP-2L-U-30-BR2	Wall Fctc mounted at 7ft	LED	SWP-2L-U-40-BR2.ies	2648	0.7	12		Max: 100cd
○	PR	18	Indy	LRT8 15LM 30K 120 GR BSCR E21 HM VH	INDY Bin Retrofit Downlight mounted at 10ft	LED	LRT8 13LM 25K WOLFT G4 BOCR1 2T HM CS.ies	1395	1	54.7	DIRECT, SC=0.64, SC=90=0.64	Max: 196cd

N/W LAJIE, ANNIE E.
41 PLEASANT ST

ILLUMINATION LEVELS:

SECTION 4.103 INCLUDES STANDARD MINIMUM ILLUMINATION LEVELS FOR SECURITY AND PARKING AREA LIGHTING WITH A MINIMUM OF 0.2 FC IN THE (VD) VILLAGE DOWNTOWN DISTRICT.

EXISTING RECESSED LIGHTING WITHIN CANOPIES AND ONE EXISTING SCONCE LIGHT SHALL BE REMOVED AND REPLACED WITH NEW LED LIGHTING. ALL LIGHTING FIXTURES PROPOSED ARE DOWNCASTING, CUT-OFF FIXTURES AS DEPICTED BY IESNA MEETING REQUIREMENTS OF SECTION 4.104

AREA MINIMUM ILLUMINATION LEVELS:


AREA A	AREA B	AREA C	} ALL AREAS SHOWN WITH MIN. 0.2 FC
0.2	0.4	0.3	

LIGHTING NOTES:

NOTE: NO NEW POST LIGHTING FOR THE PARKING AREA IS PROPOSED. THE CURRENT PARKING AREA IS WELL LIT BY A SCATTERING LED FIXTURES AFFIXED TO THE TELEPHONE POLES ALONG THE PROPERTY LINE AND WITHIN THE ROW. (SEE LF ON PLAN)

SECTION 4.101 ENCOURAGES PROPERTY OWNERS AND APPLICANTS TO USE THE MINIMUM LIGHT LEVELS NEEDED FOR THE USE AND AVOID COMPETITIVE LIGHTING, IN WHICH ONE SOURCE OF LIGHTING IS INCREASED IN ILLUMINATION TO OUTSHINE A NEIGHBORING SOURCE.



THE INTRODUCTION OF POST LIGHTING FOR THE PARKING SPACES IS UNNECESSARY WHEN ADJACENT LED POST LIGHTING ALONG THE PROPERTY LINE AND WITHIN THE RIGHT-OF-WAY CURRENTLY EXISTS. THE 3 EXISTING LIGHT FIXTURES (LF) ARE ADJACENT TO ILLUMINATE THE 9 PARKING SPACES. FURTHER, THE INTRODUCTION OF ADDITIONAL POST LIGHTING ADJACENT TO THESE PARKING SPACES IS DISCOURAGED UNDER SECTION 4.101 OF THE GENERAL GUIDELINE AS IT WOULD COMPLETE WITH OR OUTSHINE A NEIGHBORING SOURCE.



NOTES:

1. LIGHTING DESIGN BY VISIBLE LIGHT, INC.
2. FIXTURE SYMBOLS ARE NOT TO SCALE
3. ALL FIXTURES SHALL MEET IESNA QUALIFICATIONS.
4. REFER TO ELECTRICAL PLANS FOR ADDITIONAL INFORMATION ON LIGHT SPECIFICATIONS & LOCATIONS
5. (SL) = SECURITY LIGHT TO REMAIN ON 24/7 365 DAYS, SEE ELECTRICAL PLANS.

Lighting by: Heidi G. Connors
Visible Light, Inc.
24 Stickney Terrace
Suite 6
Hampton, NH 03842



DRAFT
PERMIT SUBMISSION




ParkArchitecture.com
3 School House Lane, Suite #1 Etna NH
Tel: 603-443-3400 Mobile: 617-398-0167



Northfield Savings Bank
OUTSIDE LIGHTING PLAN
JANUARY 13, 2023

Drawing No.
L301
PERMIT SUBMISSION

PROPOSED PLANT MATERIAL IMAGES:




CEDAR RAISED GARDEN BEDS

NOT TO SCALE




NOTES:
 CONTRACTOR SHALL SUPPLY CEDAR RAISED GARDEN BEDS IN LOCATIONS SHOWN ON THE PLAN.
 PRODUCT DIMENSIONS:
 WIDTH: 4 FEET
 LENGTH: 8 FEET
 HEIGHT: 22 INCHES
 CONTRACTOR SHALL INCLUDE EARTH EASY TRIM PACK.
 PROVIDE SHOP DRAWING OF MATERIALS AND INSTALLATION FOR APPROVAL PRIOR TO MATERIALS ORDERING AND INSTALLATION. BEDS SHALL BE BY EARTH EASY OR APPROVED EQUAL.
 VISIT: WWW.EARTHEASY.COM
 SEE PLAN FOR RAISED BED LOCATION
 CONTRACTOR TO FILL RAISED GARDEN BED WITH GARDEN SOIL TO A LEVEL OF 3 INCHES FROM TOP OF GARDEN PLANTER.



QUANTITY OF RAISED GARDEN BEDS: 1

TREE PLANTING DETAIL


NOT TO SCALE



LANDSCAPE CONTRACTOR TO PROVIDE A 2 YEAR GUARANTEE ON ALL TREE AND SHRUB PLANTINGS.
 GUARANTEE PERIOD BEGINS FOLLOWING 100% COMPLETION OF THE WORK AND FINAL SIGN-OFF BY THE LANDSCAPE ARCHITECT DURING THE CONSTRUCTION ADMINISTRATION PHASE.
 TRUNK FLARE - PLANT 1-2\"/>

4FT OR 6FT HIGH SOLID WOOD PANEL FENCE

NOT TO SCALE



COLOR OF ALL PANELS AND POSTS SHALL MATCH BUILDING COLOR STYLE SW 7076 CYBERSPACE

NOTES:


- SOLID PANEL WOOD FENCE SHALL BE SUPPLIED BY WALPOLE OUTDOORS OR APPROVED EQUAL. PLAN INCLUDES BOTH 4FT HIGH FENCE AND A 6FT HIGH FENCE (SEE PLAN)
- CONTRACTOR TO PROVIDE SHOP DRAWING TO LANDSCAPE ARCHITECT FOR APPROVAL PRIOR TO ORDERING OF MATERIALS AND INSTALLATION.
- ALL NAILS AND HARDWARE TO BE HOT DIPPED GALVANIZED.
- WOOD PANELS TO BE HUNG WITH UNIFORM HEIGHT AND SPACING.
- POSTS TO BE SPACED 6FT O.C. AND/OR AS SHOWN ON PLAN. LENGTH OF FENCE AS SHOWN ON PLAN.
- WOOD MATERIAL SHALL BE CEDAR OR APPROVED SUBSTITUTION.
- CONTRACTOR SHALL PAINT FENCE: COLOR STYLE SW 7076 CYBERSPACE.



COLOR: SW 7076 CYBERSPACE

TURF PLANTING DETAIL


NOT TO SCALE



NOTES:
 SEED ALL IDENTIFIED AREAS FOR LAWN AND ALL DISTURBED AREAS WITHIN 48 HOURS OF FINAL GRADING. SEED AFTER APRIL 15TH AND BEFORE SEPTEMBER 15TH IN ORDER TO ESTABLISH BEFORE FREEZING TEMPERATURES.
 CONTRACTOR IS RESPONSIBLE TO WATER AND ESTABLISH SEEDING LAWN AREAS. WARRANTY SHALL BE VOID IF FOLLOWING INSTALLATION PERIOD.
 CONTRACTOR TO INCLUDE NECESSARY TOUCHUP / RESEEDING FOR ANY AREAS WHERE GRASS SEED DOES NOT GERMINATE DURING THE WARRANTY PERIOD.

CONCRETE PAVING / JOINT TREATMENT DETAIL

SCALE: NTS




EXPANSION JOINT - 1/2\"/>
 SCORE JOINT LOCATIONS SHALL ALIGN WITH EXISTING JOINTS AND PAVEMENT TO REMAIN.
 6\"/>
 CONCRETE SLAB 6\"/>
 6\"/>
 COMPACTED SUBGRADE
 NOTE 1: PROVIDE EXPANSION JOINTS AS SHOWN ON THE DRAWINGS, WHEREVER PAVING MEETS VERTICAL OR HORIZONTAL MASONRY SURFACES, AND NOT MORE THAN 24 O.C. IN ANY DIRECTION.
 NOTE 2: CONCRETE 4000 P.S.I. IN 28 DAYS FINISH SURFACE TO MATCH EXISTING CONC. PAVEMENT

STEEL LANDSCAPE EDGING

NOT TO SCALE


STEEL LANDSCAPE EDGING AS MANUFACTURED BY: SURE-LOC ALUMINUM EDGING CORPORATION - HOLLAND MI TEL: 1-800-767-3562 OR APPROVED EQUAL.



NOTES:
 INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
 SEE LANDSCAPE PLAN FOR LOCATION OF LAWN VS. MULCHED BED AREAS AND PLACEMENT OF STEEL EDGING.
 CONTRACTOR TO PROVIDE SHOP DRAWING TO LANDSCAPE ARCHITECT FOR APPROVAL PRIOR TO MATERIALS ORDERING AND INSTALLATION.


SHRUB PLANTING DETAIL

NOT TO SCALE



GROUND COVER SPACING

NOT TO SCALE



DRAFT
 PERMIT SUBMISSION



ParkArchitecture.com
 3 School House Lane, Suite #1 Etna NH
 Tel: 603-413-3400 Mobile: 617-398-0467




Northfield Savings Bank
LANDSCAPE DETAILS

JANUARY 13, 2023

Drawing No.

L401

PERMIT SUBMISSION




EXTERIOR LIGHTS LEGEND

- TYPE: PR(SL), SERIES: LRT8, RECESSED SECURITY LIGHT, SEE SPECIFICATIONS.
- TYPE: KS, SERIES: SLIM12Y, SCENCE, SEE SPECIFICATIONS.
- ⌚ TYPE: EM-RH, SERIES: ELMRW (EXTERIOR) EMERGENCY LIGHT, SEE SPECIFICATIONS.

NOTES:

1. LIGHT SPECIFICATIONS & LOCATIONS PER ELECTRICAL.
2. (SL) = SECURITY LIGHT TO REMAIN ON 24/7 365 DAYS, SEE ELECTRICAL.



1 LEVEL 1
SCALE: 1/4" = 1'-0"



85 granite shed lane
montpelier, vermont 05602
802.229.1664 • 802.229.4822 FAX
www.gbarchitecture.com



NSB - RICHMOND

23 PLEASANT ST.
RICHMOND, VT 05477

Revisions:
#1 01/09/2023

Project Number: 2022-0011


Phase: PERMIT

Scale: 1/4" = 1'-0"


Date: 1/13/2023

EXTERIOR LIGHTS

A151



1 North
SCALE: 1/4" = 1'-0"



2 South
SCALE: 1/4" = 1'-0"



REMOVE PICKETS & INTERMEDIATE FRAMING BETWEEN PORCH SUPPORTS. REPAIR WOOD AS REQUIRED & PAINT



REMOVE EXISTING ROOF RETURNS ON CUSTOMER ENTRANCE PORCH. EXTEND SOFFIT AND ADD NEW ROOF RETURN FLUSH WITH WALL, SAME HEIGHT.



REMOVE EXISTING LIGHTS AT DRIVE-THRU. REPLACE WITH 3 TYPE 'PRISL' SERIES LIGHT RECESSED LIGHTS. REPLACE NIGHT DEPOSITORY NEXT TO DRIVE-THRU WINDOW.



REPLACE EXISTING CHAIN LINK & SCIENCE TYPE: KS, SERIES: SL1M17


REPLACE HORIZONTAL SIDING THAT HAS BEEN FURRED OUT FOR VENT WISING TO MATCH EXISTING, PRIME & PAINT (SW 7076 CYBERSPACE).

SW 7076 CYBERSPACE COLOR ON GABLE ENDS WITH SIDING.

NEW MECHANICAL VENTS THIS GABLE PAINTED TO MATCH SIDING.




GENERAL NOTE:
 (SL) DENOTES LIGHT FIXTURES TO REMAIN 'ON'
 24/7 365 DAYS. SEE ELECTRICAL.



NOTE:
 SCRAPER, PRIME & PAINT ALL WOOD SURFACES. ADD
 CONTINUOUS SOFFIT VENT AT ALL SOFFITS.

1 East
 SCALE: 1/4" = 1'-0"



NOTE:
 SCRAPER, PRIME & PAINT ALL WOOD SURFACES. ADD
 CONTINUOUS SOFFIT VENT AT ALL SOFFITS.

2 West
 SCALE: 1/4" = 1'-0"



ALL NEW RECESSED PORCH LIGHTS @ EXISTING
 LOCATIONS. TYPE: PR(SL), SERIES: LRT8. (SL) DENOTES
 LIGHT FIXTURES TO REMAIN 'ON' 24/7 365 DAYS. SEE
 ELECTRICAL.



REMOVE PICKETS & INTERMEDIATE FRAMING BETWEEN
 PORCH SUPPORTS. REPAIR WOOD AS REQUIRED & PAINT



85 granite shed lane
 montpelier, vermont 05602
 802.229.1664 • 802.229.4822 FAX
 www.gharchitecture.com



**NSB -
 RICHMOND**

23 PLEASANT ST.
 RICHMOND, VT 05477

Revisions:
 #1 01/09/2023

Project Number: 2022-0011

Phase: PERMIT

Scale: As indicated

Date: 1/13/2023

**BUILDING
 ELEVATIONS**

A201

© GOSSENS BACHMAN, INC.