

Excerpt from email regarding the stormwater permits for Hidden Pines and Mary Drive

Purcell, Terry <Terry.Purcell@vermont.gov>

Mon 9/9/2024 9:18 AM

To: Josh Arneson <jarneson@richmondvt.gov>

Cc: Haenke, Brodie <Brodie.Haenke@vermont.gov>

6116-9010.R.pdf; 6116-9010.R_Cover Letter.pdf;

Good morning Josh,

Hidden Pines and Mary Drive cannot revert back to the 9010 permit because General Permit 3-9010 was replaced by General Permit 3-9050 in Dec. 2020. GP 3-9050 now covers all operational stormwater permitting including permit renewals unless there is a need for a specific project to have an individual stormwater discharge permit (INDS). To renew the permit coverage a new GP 3-9050 application needs to be submitted. This would be one application submittal rather than two if the Town wants to have both subdivisions covered under a single permit. An annual inspection needs to be completed each year with a report submitted through ANR Online (there is no state fee for this), and the permit needs to be renewed when the current permit expires which will typically be on a 5-year cycle (\$240 administrative fee for the renewal). As part of the renewal the permitted stormwater systems need to be evaluated by a professional engineer to certify whether they are being operated and maintained in accordance with the permit.

Terry Purcell | Operational Section Supervisor (he, him)
Vermont Department of Environmental Conservation
Watershed Management Division, Stormwater Program